

# INDEX MAPS.

## T. 19N, R. 4W. 2<sup>nd</sup> Mer.

	314		313		313		313		312		312	
315	6	338	5	333	4	329	3	324	2	320	1	312
	340		337		333		328		324		319	
315	7	337	8	332	9	328	10	323	11	319	12	312
	339		337		332		328		323		318	
315	18	336	17	332	16	327	15	323	14	318	13	311
	339		336		331		327		322		318	
315	19	336	20	331	21	326	22	322	23	317	24	311
	339		335		330		326		321		317	
314	30	335	29	330	28	326	27	321	26	316	25	311
	338		334		329		325		320		316	
314	31	334	32	329	33	325	34	320	35	316	36	310
	310		310		310		309		309		309	

## T. 20N, R. 4W. 2<sup>nd</sup> Mer.

	347		347		347		347		347		346	
349	6	367	5	362	4	359	3	356	2	352	1	346
	369		366		362		358		355		352	
349	7	366	8	362	9	358	10	355	11	352	12	346
	368		365		362		358		355		352	
349	18	365	17	361	16	358	15	355	14	351	13	345
	368		365		361		357		354		351	
348	19	364	20	360	21	357	22	354	23	351	24	345
	367		364		360		357		354		350	
348	30	363	29	360	28	356	27	353	26	350	25	345
	367		363		359		356		353		350	
348	31	363	32	359	33	356	34	353	35	349	36	344
	344		344		343		343		343		343	

The figures on the lines refer to the page.

Township N. 20 North, Range N. 4 West S. Mer. Ind.?

Township Line.

Ch. No. South Boundary. Var. 6° 20' E.

Bearings at cor. of T. 19 & 20 N, R. 3 & 4 W.

a W. Oak 27 in. diameter N 14 E 21 lbs. dist 8

a Do 15 " " " S 44 W 14 " "

West on the S. Boundary of Sec. 36

0.50 a Creek 70 lbs. wide course S W

40.00 set of sec. part from which

a Hickory 24 in. diameter East 12 lbs. dist 8

a Do 18 " " " S 33 W 25 " "

80.00 set part cor. of sec. 35 & 36 from which

a Hickory 24 in. diameter N 35 W 12 lbs. dist 8

a W. Ash 11 " " " S 42 E 47 " "

Land level rich & good for farming, timber Oak,  
Hickory, Beech, Ash, Sugar & Spruce

West on the S. Boundary of Sec. 35

40.00 set of sec. part from which

a Gum 10 in. diameter N 62 E 53 lbs. dist 8

a S. Oak 36 " " " S 1 W 16 " "

80.00 set part cor. of sec. 34 & 35 from which

a S. Oak 27 in. diameter S 56 E 35 lbs. dist 8

a Hickory 12 " " " N 51 W 50 " "

Land rich & good for farming, timber Oak, Wick-  
ory, Elm, Walnut &c.

West on the S. Boundary of Sec. 34

40.00 set of sec. part from which

a W. Oak 24 in. diameter S 20 W 60 lbs. dist 8

a Do 36 " " " North 60 " "

41.00 enter Prairie

80.00 set part cor. of sec. 33 & 34 in Prairie, no Bearings

6 1/2 miles rich & good for farming, W. Oak  
wet 3. rate Prairie

West on the S. Boundary of Sec. 33

T. 20 N., R. 4 W. L. Mer. Ind.<sup>n</sup>  
 Chk. Lbs.

40.00 set of sec. post from which  
 a W. Oak 24 in. diameter N 64 $\frac{1}{2}$  E 329 lbs. dist.  
 (no other Bearing tree)

50.00 passed Prairie

70.00 enter "

80.00 set post cor. of sec. 32 & 33 from which  
 a W. Oak 14 in. diameter East 10.00 Chs. dist.  
 (no other Bearing tree) - Land 3<sup>rd</sup> rate

West on the S. Boundary of Sec. 32

40.00 set of sec. post from which  
 a W. Oak 27 in. diameter West 17.91 Chs. dist.  
 (no other Bearing tree)

58.00 passed Prairie

80.00 set post cor. of sec. 31 & 32 from which  
 a W. Oak 9 in. diameter N 77 $\frac{1}{2}$  E 38 lbs. dist. &  
 a Do 36 " " " S 47 $\frac{1}{2}$  W 36 " "  
 Prairie 3<sup>rd</sup> rate & wet

West on the S. Boundary of Sec. 31

30.00 enter Prairie

40.00 set of sec. post from which  
 a W. Oak 36 in. diameter S 41 $\frac{1}{2}$  W 195 lbs. dist.  
 (no other Bearing tree)

45.00 enter Prairie

78.68 Intersect Range line 66 $\frac{1}{2}$  Chs. N. of temp. Towns.  
 cor. - set post at intersection cor. of T. 19 & 20 N,  
 R. 4 & 5 W. from which  
 a W. Oak 24 in. diameter S 28 $\frac{1}{2}$  W 365 lbs. dist. &  
 a Hickory 9 " " " N 63 $\frac{1}{2}$  E 241 " "  
 Land 2<sup>nd</sup> rate, Prairie part dry.

East Boundary, Van 6<sup>th</sup> 16. E.  
 North on the E. Boundary of Sec. 36  
 October 20. 1819

1.00 a Creek 50 lbs wide course S W

T. 20 N., R. 4 W., T. 2 Mer. Ind.<sup>a</sup>  
Chs. Lks.

27.00 a Brook 10 lks. wide course SE  
40.00 set of sec. part from which  
a Beech 27 in. diameter N 2 E 14 lks. dist. &  
a Do 30 " " " S 47 W 21 " "  
80.00 set part cor. of sec. 25 & 36 from which  
an Elm 14 in. diameter N 69 W 10 lks. dist. &  
a Hickory " " " S 34 E 3 " "  
Land very rich & good for farming - 1 1/2 miles  
nearly 1.5 rate

North on the E. Boundary of Sec. 25

40.00 set of sec. part from which  
a Hickory 20 in. diameter S 35 E 10 lks. dist. &  
a W. Oak 48 " " " N 37 W 49 " "  
60.00 a Brook 12 lks. wide course E  
80.00 set part cor. of sec. 24 & 25 from which  
a Maple 20 in. diameter S 6 E 30 lks. dist. &  
a S. Oak 30 " " " S 87 E 76 " "  
1 1/2 mile same, 1 1/2 mile thinly timbered  
Oak land of a middling good quality

North on the E. Boundary of Sec. 24

4.00 enter Prairie  
40.00 set of sec. part from which  
a B. Oak 10 in. diameter N 88 W 142 lks. dist. &  
a Do 8 " " " S 62 E 245 " "  
45.00 papered Prairie  
50.00 enter "  
75.00 papered "  
80.00 set part cor. of sec. 13 & 24 from which  
a Hickory 18 in. diameter S 89 E 41 lks. dist. &  
a W. Oak 30 " " " S 79 W 45 " "  
Prairie part wet & part dry, soil middling

North on the E. Boundary of Sec. 13

32.00 enter Prairie



T20 N., R. 4 W. T. Mer. Ind.<sup>a</sup>  
Ch. Lks.

37.00 passed Prairie  
40.00 set g. sec. post from which  
a Hickory 24 in. diameter S20 E 10 lbs. dist 8  
a Do 12 " " " N77 W 29 " "  
41.00 enter Prairie  
80.00 set post cu. of sec. 12 & 13 from which  
a B. Oak 18 in. diameter N72 1/2 W 11.58 lbs. dist.  
(no other Bearing tree)  
Land rich & good for farming, Prairie T. State

---

North on the E. Boundary of Sec. 12  
40.00 set g. sec. post & made a Mound  
80.00 set post cu. of sec. 1 & 12 in Prairie & made  
a Mound — Land T. State —

---

North on the E. Boundary of Sec. 1  
35.00 passed Prairie  
40.00 set g. sec. post from which  
a Hickory 10 in. diameter N24 W 21 lbs. dist 8  
a Do 12 " " " N42 E 30 " "  
55.00 enter Prairie  
79.35 to post cu. of T. 20 & 21 N., R. 3 & 4 W. from which  
a W. Oak 36 in. diameter N59 W 495 lbs. dist 8  
a Do 3 " " " S62 1/2 W 483 " "  
Land similar, Prairie part wet

---

North Boundary. Var. 6:20 E.  
West on the S. Boundary of Sec. 36, T21 N., R4 W  
5.00 passed Prairie  
12.00 enter wet Prairie  
22.00 passed " "  
40.00 set g. sec. post from which  
a B. Oak 18 in. diameter S48 E 59 lbs. dist 8  
a Hickory 18 " " " N24 E 46 " "  
80.00 set post cu. of sec. 35 & 36 from which  
a B. Oak 27 in. diameter S47 W 100 lbs. dist. 8

T. 20. N., R. 4 W. 2. Mer. Ind.<sup>a</sup>  
Chs. 2<sup>ds</sup>.

a W. Oak 30 in. diam. bears N 53° W 179<sup>th</sup>. dist.  
Oak & Hickory land of an excellent quality

West on the S. Boundary of Sec. 35, T. 21 N., R. 4 W  
20.00 enter Prairie

40.00 set of sec. post in Prairie from which  
an Oak 10 in. diam. bears S 11° W 600<sup>th</sup>. dist.  
(no other Bearing tree)

80.00 set post cn. of sec. 34 & 35 & made a Mound  
Land 1<sup>st</sup> rate

West on the S. Boundary of Sec. 34, T. 21 N., R. 4 W

40.00 set of sec. post & made a Mound

80.00 set post in a Marsh cn. of sec. 33 & 34  
(neither Mound nor Bearings)  
Land same as last noted

West on the S. Boundary of Sec. 33, T. 21 N., R. 4 W

40.00 set of sec. post in Prairie & made a Mound

80.00 set post cn. of sec. 32 & 33 & made a Mound  
Land same as last noted

West on the S. Boundary of Sec. 32, T. 21 N., R. 4 W

40.00 set of sec. post in Prairie & made a Mound

80.00 set post cn. of sec. 31 & 32 & made a Mound  
from which a large rock bears S 35° W 34<sup>th</sup>. dist.  
Land same as last noted

West on the S. Boundary of Sec. 31, T. 21 N., R. 4 W

40.00 set of sec. post in Prairie on a gravelly hill

81.23 Intersect Range line 83<sup>th</sup>. S. of temp. Towns. cn.  
set post at intersection cn. of T. 20 & 21 N. R.  
4 & 5 W. & made a Mound.  
Land same as last noted.

West Boundary, Var. 6° 20' E

T. 20 N., R. 4 W. 2. Mer. Ind. a  
 Elk. Ind.

North on the E. Boundary of Sec. 36, T20N, R5W

October 19, 1819

20.00 packed Prairie

25.00 enter "

35.00 packed "

40.00 set of sec. port from which

a W. Oak 15 in. diameter S36 E 34 W. dist. 8

a Do 11 " " " S87 W 16 " "

80.00 set port cor. of sec. 25 & 36 from which

a W. Oak 24 in. diameter S32 E 29 W. dist. 8

a Do 24 " " " N22 W 49 " "

Oak land of a middling good quality, good  
 timber & middling good farming land

North on the E. Boundary of Sec. 25, T20N, R5W

33.00 enter wet Prairie

38.00 packed " "

40.00 set of sec. port from which

a W. Oak 12 in. diameter S4 E 6 W. dist. 8

a Do 30 " " " N44 E 36 " "

58.50 enter Prairie

67.00 packed "

79.00 enter "

80.00 set port cor. of sec. 24 & 25 from which

a W. Oak 27 in. diameter N50 E 84 W. dist. 8

a Do 27 " " " S3 1/2 W 100 " "

Land similar to last mile

North on the E. Boundary of Sec. 24, T20N, R5W

10.00 packed Prairie

27.00 enter "

40.00 packed " & set of sec. port from which

a W. Oak 27 in. diameter N84 E 9 W. dist. 8

" " " " " N22 W 80 " "

60.00 enter Prairie

80.00 set port cor. of sec. 13 & 24 from which

T. 20 N., R. 4 W. 2. Mer. Ind<sup>a</sup>.  
Chp. 8th.

a W. Oak 27 in. diameter N 28 W 268 lbs. dist 8  
a B. Oak 9 " " " N 71 W 272 " "  
Land similar, middling good farming land.

North on the E. Boundary of Sec. 13, T 20 N, R 5 W  
25.00 papered Prairie

30.00 enter "

40.00 set of sec. post from which

a W. Oak 18 in. diameter S 62 1/2 W 205 lbs. dist. 8

a Do 30 " " " N 50 W 233 " "

80.00 set post in a small Island of wood for cor. of sec.  
12 & 13 from which

a B. Oak 36 in. diameter S 1 W 134 lbs. dist 8

a Hickory 9 " " " North 46 " "

Good farming land

North on the E. Boundary of Sec. 12, T 20 N, R 5 W

40.00 set of sec. post & made a Mound

80.00 set post cor. of sec. 12 & made a Mound  
Land 1<sup>st</sup> rate

North on the E. Boundary of Sec. 1, T 20 N, R 5 W

40.00 set of sec. post & made a Mound

80.00 set trap. Township corner post

Land 1<sup>st</sup> rate -

Surveyed in 1819 by William Harris  
Dep. Surveyor.

### Subdivision.

North between Sec. 35 & 36, T 20 N, R 4 W

1.58 a B. Oak 30 in. dia.

13.45 a Swamp Oak 18 in. dia.

35.67 a Gum 13 in. dia.

40.00 set of sec. post from which

a W. Oak 14 in. diameter S 37 1/2 W 46 lbs. dist 8

a Swamp Oak 12 " " " N 40 E 41 " "



## T 20 N., R. 4 W. 2. Mer. Ind.?

Elev. Elev

76.61 a W. Oak 30 in. dia.

80.00 set post cor. of sec. 25, 26, 35 & 36 from which  
a B. Oak 24 in. dia. bears S 82° W 48 lbs. dist. 8  
an Ash 12 " " " N 32° E 5 " "Land level some wet 2. rate, timber Ash,  
Oak &c.

## East on Random between Sec. 25 &amp; 36

40.00 set temp. of sec. post

79.81 Intersect E. Boundary 10 lbs. N. of post -

Land wet 3. rate, timber Spruce, Beech, Oak &amp;c.

## West Corrected between Sec. 25 &amp; 36

24.46 a B. Oak 18 in. dia.

39.90 1/2 set of sec. post at av. dist. from which

a B. Oak 9 in. dia. bears S 82° W 13 lbs. dist. 8

a W. Ash 3 " " " N 34° E 25 " "

74.98 a Spruce 4 " "

79.81 1/2 sec. cor.

## North between Sec. 25 &amp; 26

21.00 enter a large Prairie extending S W

40.00 set of sec. post in Prairie, no bearing trees

61.50 to timbered land

68.93 a W. Oak 15 in. dia.

80.00 set post cor. of sec. 23, 24, 25 &amp; 26 from which

a B. Oak 18 in. dia. bears N 14° W 63 lbs. dist. 8

a W. Oak 14 " " " S 11° E 56 " "

Land 2. rate, timber on both sides Prairie Oak.

## East on Random between Sec. 24 &amp; 25

30.00 enter Prairie

40.00 set temp. of sec. post in Prairie

52.50 to timbered land

80.00 Intersect E. Boundary 60 lbs. N. of post -

Timber Oak, Hickory, Prairie partly dry 2. rate



T. 20 N., R. 4 W. 2. Mer. Ind. 4.  
 Exp. 2<sup>d</sup>.

West Corrected between Sec. 24 & 25

4.57 a W. Oak 8 in. dia.

40.00 set of sec. part at aver. dist & raised a Mound

78.55 a B. Oak 16 in. dia.

80.00 to sec. cor.

North between Sec. 23 & 24

18.00 enter Prairie

27.00 " timbered land

34.50 " Prairie

40.00 set of sec. part in Prairie & raised a Mound  
 no trees near

80.00 set part in Prairie cor. of sec. 13, 14, 23 & 24 &  
 raised a Mound

Prairie dry, spots of timber getting scrubby  
 3<sup>d</sup> rate.

East on Raudon between Sec. 13 & 24

40.00 set temp. of sec. part in Prairie

72.50 enter timbered land

79.94 Intersect E. Boundary 31 lbs. N. of part -

Prairie dry & rich, one or two large rocks  
 on the line

West Corrected between Sec. 13 & 24

1.88 a W. Oak 18 in. dia.

39.97 set of sec. part at aver. dist. & raised a Mound

79.94 to sec. cor. September 25, 1820

North between Sec. 13 & 14

40.00 set of sec. part in Prairie & raised a Mound,  
 no Bearing trees

80.00 set part cor. of sec. 11, 12, 13 & 14 in Prairie &  
 raised a Mound, no Bearing trees

Prairie dry & rich, timber in groves W  
 Oak

T. 20 N., R. 4 W. S. Mer. Ind.<sup>a</sup>  
 Ch. 2<sup>nd</sup>

East on Random between Sec. 12 & 13

40.00 set temp. of sec. post in Prairie

80.46 Intersect E. Boundary 140 lbs. N. of post -  
 Land 3<sup>rd</sup> rate

---

West Connected between Sec. 12 & 13

11.46 enter scrubby timber

15.00 " Prairie

40.23 set of sec. post at aver. dist. in Prairie from  
 which a B. Oak 18 in. dia. less N 20 E 62 lbs. dist.  
 (no other Bearing tree)

80.46 to sec. cor.

---

North between Sec. 11 & 12

40.00 set of sec. post in Prairie, raised a Mound,  
 no trees near

80.00 set post cor. of sec. 11 & 12, 11 & 12

(Neither Mound or Bearings mentioned)

Prairie dry & rolling, gravel on the high  
 land on surface

---

East on Random between Sec. 12 & 12

40.00 set temp. of sec. post in Prairie

79.00 Intersect E. Boundary 28 lbs. N. of post -  
 Prairie dry & rolling 3<sup>rd</sup> rate

---

West Connected between Sec. 12 & 12

39.50 set of sec. post at aver. dist. in Prairie &  
 raised a Mound, no trees near

79.00 to sec. cor.

---

North between Sec. 12 & 12

40.00 set of sec. post in Prairie, raised a Mound,  
 no trees near

68.00 timbered land, timber thin & mostly low  
 Oak

T. 20 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>  
Chas. H.

78.65 Intersect N. Boundary 88 lbs. N. of port -  
set port at intersection cen. of sec. 1 & 2 from which  
a W. Oak 20 in. diameter N 30 W 125 lbs. dist 8  
a B. Oak 18 " " " S 9 E 71 " "  
Land willing to rate; September 26, 1820

North between Sec. 34 & 35

11.00 enter Prairie  
40.00 set q. sec. port in Prairie, no Bearing trees  
80.00 set port cen. of sec. 26, 27, 34 & 35 in Prairie,  
no Bearing trees.  
Prairie wet, fine grass

East on Random between Sec. 26 & 35

40.00 set temp. q. sec. port in Prairie  
53.50 enter timbered land  
81.00 Intersect N. S. line 4 lbs. N. of port -  
Prairie wet, Woodland level & wet, timber  
Elm, Oak, & Hickory. Rate

West Corrected between Sec. 26 & 35

8.74 an Elm 24 in. dia.  
19.96 a Maple 36 " "  
40.50 set q. sec. port at aver. dist. from which no Bearing  
in Prairie.  
81.00 to sec. cen.

North between Sec. 26 & 27

40.00 set q. sec. port in Prairie from which  
a W. Oak 18 in. diameter N 11 W 53 lbs. dist.  
(no other Bearing tree)  
44.00 enter timbered land  
52.50 enter Prairie  
80.00 set port cen. of sec. 26, 27, 22 & 23 in Prairie  
no Bearing trees  
Land 1 1/2 mile Prairie wet, last 1/2 mile Prairie

T. 20 N., R. 4 W. 2. Mer. Ind. a.  
 Chas. L. H. a.  
 dry, land 2. rate

East on Random between Sec. 23 & 26

40.00 set temp. g. sec. part

40.50 enter timbered land

80.00 Intersect N. & S. line 26 th. N. of part -

Prairie dry & rich, timber land level & rich,  
 No W. Oak, Hickory

West on corrected between Sec. 23 & 26

40.00 set g. sec. part at aver. dist. from which  
 a W. Oak 15 in. diam. bears N 13 1/2 E 25 th. dist 8

a Do 20 " " " West 15 " "

80.00 to sec. cor. in Prairie Mound

North between Sec. 22 & 23

5.29 a W. Oak 15 in. dia.

40.00 set g. sec. part & raised a Mound, no trees

45.00 enter timbered land

49.48 a B. Oak 24 in. dia.

68.00 enter Prairie

80.00 set part in Prairie cor. of sec. 14, 15, 22 & 23 & raised  
 a Mound, no trees

Prairie dry & rich, timber in groves Oak

East on Random between Sec. 14 & 23

9.00 enter timbered land

29.50 enter Prairie

40.00 set temp. g. sec. part in Prairie

80.01 Intersect N. & S. line 30 th. N. of part -  
 Prairie dry & rich

West on corrected between Sec. 14 & 23

40.00 1/2 set g. sec. part at aver. dist. & raised a Mound  
 no trees near

51.26 a B. Oak 22 in. dia.



T. 20 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>  
 Elk. Cr.

80.01 to sec. cen.

North between Sec. 14 & 15

40.00 set of sec. post in Prairie, raised a Mound,  
 no trees near.

80.00 set post cen. of sec. 10, 11, 14 & 15 in Prairie, raised  
 a Mound, no trees near

Prairie dry & rich, fine groves of young Hick-  
 ory  
 October 11. 1820

East on Random between Sec. 14 & 14

13.50 enter timbered land

30.00 " Prairie

40.00 set temp. of sec. post in Prairie

79.85 Intersect N & E. line at post in Prairie -  
 Prairie dry & rich

West Connected between Sec. 14 & 14

39.92 set of sec. post at arcr. dist. (no Bearings)

79.85 to sec. cen.

North between Sec. 10 & 11

40.00 set of sec. post in Prairie, raised a Mound,  
 no trees near.

80.00 set post cen. of sec. 2, 3, 10 & 11 in Prairie, no trees,  
 raised a Mound

Prairie dry & rolling, on ridges land gravelly

East on Random between Sec. 2 & 11

40.00 set temp. of sec. post in a clump of Hazel bushes

79.10 Intersect N & E. line at post -

Prairie dry & rolling 2. rate, timber in groves  
 gets scrubby

West Connected between Sec. 2 & 11

39.55 set of sec. post at arcr. dist. in a Hazel patch,



T. 20 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>  
 Chs. Lk.

no trees near  
 79.10 to sec. cor.

---

North between Sec. 2 & 3

40.00 set g. sec. post in Prairie, no trees, raised a Mound  
 78.50 Intersect N. Boundary 50 lbs. W. of post -  
 set post at intersection cor. of sec. 2 & 3 in Prairie  
 no trees near, raised a Mound  
 Prairie dry & rolling 3<sup>d</sup> rate, some large grey  
 rock in this tier of sections.

---

North between Sec. 33 & 34

Post in Prairie  
 40.00 set g. sec. post in Prairie, raised a Mound,  
 no trees near  
 65.50 enter thin timbered land  
 80.00 set post cor. of sec. 27, 28, 33 & 34 from which  
 a W. Oak 16 in. diam. S 13 $\frac{1}{2}$  W 50 lbs. dist 8  
 a Do 16 " " " N 13 $\frac{1}{2}$  E 38 " "  
 Prairie wet, timber W. Oak, Hickory 3<sup>d</sup> rate

---

East on Random between Sec. 27 & 34

15.50 enter Prairie  
 40.00 set temp. g. sec. post in Prairie, no Bearings  
 79.38 Intersect N. G. line 10 lbs. S. of post -  
 Prairie wet 3<sup>d</sup> rate

---

West Connected between Sec. 27 & 34

39.69 set g. sec. post at arce. dist. & raised a Mound.  
 79.38 to sec. cor. October 12, 1820

---

North between Sec. 27 & 28

10.91 a W. Oak 24 in. dia.  
 15.00 enter Prairie  
 40.00 set g. sec. post in Prairie, no trees near,  
 raised a Mound

T. 20 N., R. 4 W. 2<sup>d</sup>. Mer. Ind. a.  
Elev. 90?

80.00 set part cor. of sec. 21, 22, 27 & 28 in Prairie,  
no trees near, raised a Mound  
Land 1<sup>st</sup> 1/2 mile dry Prairie, timber in Wood-  
land Oak & Hickory - last 1/2 mile wet Prairie

---

East on Random between Sec. 22 & 27

40.00 set temp. q. sec. part in Prairie

80.01 Intersect N. & S. line 58<sup>th</sup> S. of part -  
Prairie dry & rich

---

West Corrected between Sec. 22 & 27

40.00<sup>th</sup> set q. sec. part at aver. dist. & raised a Mound,  
no trees near

80.01 to sec. cor. October 17. 1820

---

North between Sec. 21 & 22

8.50 enter timbered land

21.43 a W. Oak 18 in. dia.

34.00 enter Prairie

40.00 set q. sec. part in Prairie, no trees near,  
raised a Mound

47.86 enter timbered land, a W. Oak 24 in. dia.

60.00 enter Prairie

80.00 set part cor. of sec. 15, 16, 21 & 22 in Prairie,  
raised a Mound, no trees near  
Prairie dry & rich, timber land Hickory  
Oak

---

East on Random between Sec. 15 & 22

40.00 set temp. q. sec. part in Prairie

80.23 Intersect N. & S. line 54<sup>th</sup> S. of part -

Prairie 1<sup>st</sup> 1/2 mile dry, last 1/2 mile wet, rich

---

West Corrected between Sec. 15 & 22

40.00 set q. sec. part at aver. dist. raised a Mound,  
no trees near

T. 20 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>  
 Ch. 2. 1/2

80.23 to sec. cen.

North between Sec. 15 & 16

40.00 set g. sec. post in Prairie, raised a Mound,  
 no trees near

78.00 enter timbered land

80.00 set post cen. of sec. 9, 10, 15 & 16 from which  
 a W. Oak 14 in. diam. N 74 W 31 lbs. dist. 8  
 a Do 10 " " " S 74 E 77 " " "  
 Prairie dry 2. rate

East in Pradum between Sec. 10 & 15

40.00 set temp. g. sec. post

54.25 enter Prairie

79.92 Entered N & S line 13 lbs. S. of post -  
 Land level, timber sapling Oak, Cherry,  
 Walnut & Hickory, Prairie dry, land rich

West Connected between Sec. 10 & 15

29.96 a W. Oak 30 in. dia.

39.96 set g. sec. post at aver. dist. from which  
 a Hickory 10 in. diam. N 26 1/2 E 45 lbs. dist. 8  
 a Bur Oak 24 " " " S 12 E 43 " " "

79.92 to sec. cen.

North between Sec. 9 & 10

17.50 enter Prairie

40.00 set g. sec. post in Prairie, raised a Mound,  
 no trees near

80.00 set post cen. of sec. 3, 4, 9 & 10 in Prairie,  
 raised a Mound, no trees near.

Prairie dry level 2. rate

East in Pradum between Sec. 3 & 10

40.00 set temp. g. sec. post in Prairie

45.00 enter timbered land

T. 20 N., R. 4 W. 2. Mer. Ind. 4.  
Chs. 20.

47.50 enters Prairie

79.98 Intersect N. & S. line 12 1/2 m. S. of post -  
Prairie dry, passed through a number of  
little Hazel & B. Jack patches. 3. rate

---

West Connected between Sec. 3 & 10

39.99 set of sec. post at aver. dint. & raised a Mound  
no trees near

79.98 to sec. cor.

---

North between Sec. 3 & 4

40.00 set of sec. post in Prairie & raised a Mound,  
no trees near

78.73 Intersect N. Boundary 27 1/2 m. W. of post -  
set post at intersection in a wet place in Prairie  
cor. of sec. 3 & 4 (no Mound nor Bearings given)  
Prairie rolling, ridges from Oct. 18. 1820

---

North between Sec. 32 & 33

40.00 set of sec. post in Prairie, no trees near,  
raised a Mound

80.00 set post cor. of sec. 28, 29, 32 & 33 in Prairie from  
whence a W. & N. 20 in. di. line N 56° W 13 1/2 m. dint. &  
a Sec 12 s s s N 41° E 7 1/2 s s  
Prairie dry 2. rate

---

East on Random between Sec. 28 & 33

40.00 set temp. of sec. post in Prairie

79.00 enters timbered land

79.97 Intersect N. & S. line at post -  
Prairie dry 3. rate

---

West Connected between Sec. 28 & 33

39.98 set of sec. post at aver. dint. in Prairie &  
raised a Mound

79.97 to sec. cor.

---

## T. 20 N., R. 4 W. 2. Mer. Ind. a.

Chs. 212

North between Sec. 28 &amp; 29

0.25 enter timbered land

4.00 " Prairie

11.50 " timbered land

24.64 a W. Oak 24 in. dia.

32.00 enter Prairie

40.00 set g. sec. post in Prairie, no trees near,  
raised a Mound

52.00 enter timbered land

57.00 " Prairie

80.00 set post cor. of sec. 20, 21, 28 & 29 in Prairie,  
no trees near, raised a MoundPrairie principally dry, timber in groves  
scrubby, 3. rate

East or Random between Sec. 21 &amp; 28

13.00 enter timbered land

30.50 " Prairie

40.00 set temp. g. sec. post in Prairie

62.00 enter timbered land

75.25 " Prairie

79.48 Intersect N. &amp; S. line at post

First 1/2 mile Prairie wet, last 1/2 mile Prairie  
dry, timber in groves Oak. 3. rate

West Connected between Sec. 21 &amp; 28

33.88 a B. Oak 24 in. dia.

39.74 set g. sec. post at aver. dist. (no Bearings)

79.48 to sec. cor.

North between Sec. 20 &amp; 21

14.27 enter timbered land, a W. Oak 24 in. dia.

15.50 enter Prairie

26.50 " timbered land, a W. Oak 18 in. dia.

33.50 " Prairie

40.00 set g. sec. post in Prairie &amp; raised a Mound

Survey



## T. 20 N., R. 4 W. 2. Mer. Ind. a

Ch. 9th.

45.50 enter timbered land

55.50 enter Prairie

80.00 set post cor. of sec. 16, 17, 20 & 21 in Prairie from  
which a B. Oak 24 in. diameter N 5 1/2 W 750 lbs. dist. 8

a Do 14 " " " N 9 E 748 " "

Prairie partly all wet, groves of timber about  
10 feet higher than Prairie, timber Oak & h. etc

East on Random between Sec. 16 &amp; 21

5.00 enter timbered land

40.00 set temp. of sec. post

60.00 enter Prairie

79.50 Intersect N &amp; S. line 14 lbs. S. of post -

Prairie dry, timbered W. Oak thin & scrubby,  
3<sup>d</sup> rate

West Connected between Sec. 16 &amp; 21

39.75 set of sec. post at corner dist. from which

a B. Oak 30 in. diameter N 15 1/2 E 85 lbs. dist. 8

a Do 24 " " " S 3 1/2 W 39 " "

65.24 a Do 18 " "

79.50 to sec. cor.

North between Sec. 16 &amp; 17

24.25 enter timbered land

26.50 " Prairie

40.00 set of sec. post in Prairie, no trees near,  
raised a mound

50.00 enter timbered land

60.00 " Prairie

80.00 set post cor. of sec. 8, 9, 16 &amp; 17 in Prairie from which

a B. Oak 30 in. diameter S 80 E 167 lbs. dist. 8

a W. Oak 24 " " " N 55 1/2 W 46 " "

Prairie overgrown with W. Oak sprouts,  
timber scrubby. October 21. 1820

T. 20 N., R. 4 W. S. Mer. Ind.<sup>a</sup>  
Ch. Ch.

East on Random between Sec. 9 & 16

40.00 set temp. of sec. post in Prairie

79.65 Intersect N.W. line 25<sup>th</sup> W. S. of post -

Prairie dry, some scattering trees on this  
line. 3<sup>rd</sup> rate

---

West Connected between Sec. 9 & 16

39.82<sup>1</sup>/<sub>2</sub> set of sec. post at aver. dist. in Prairie, no  
trees near, raised a Mound

79.65 to sec. cor.

---

North between Sec. 8 & 9

40.00 set of sec. post in Prairie, no trees near, &  
raised a Mound

70.00 enter timbered land

80.00 set post cor. of sec. 4, 5, 8 & 9 from which

a 4<sup>th</sup> Oak 15<sup>th</sup> in, dis. bears S 28<sup>1</sup>/<sub>4</sub> W 200<sup>th</sup> W. dist 8

a Sec 24 s s s S 3 E 330 s s

(Description of land & omitted)

---

East on Random between Sec. 4 & 9

40.00 set temp. of sec. post in Prairie

79.90 Intersect N.W. line 23<sup>th</sup> W. S. of post -

Prairie dry & willing 3<sup>rd</sup> rate

---

West Connected between Sec. 4 & 9

39.95 set of sec. post at aver. dist. raised a Mound,  
no trees near.

79.90 to sec. cor.

---

North between Sec. 4 & 5

0.50 enter Prairie

40.00 set of sec. post in Prairie, raised a Mound,  
no trees near

78.30 Intersect N. Boundary 32<sup>th</sup> W. S. of post -

set post at intersection cor. of sec. 4 & 5 & raised

T. D. N., R. 4 W. 2. Mer. Ind. ?  
 Chas. L. P.

a Maund, no trees near October 23<sup>d</sup> 1820  
 Prairie selling 3<sup>d</sup> rate

North between Sec. 31 & 32

17.56 a W. Oak 18 in. dia.

37.56 a P. Oak 27 " "

40.00 ditto g. sec. part from which

a W. Oak 15 in. dia. bears S 68 E 10 M. ditto

a Do 10 " " " S 82 W 27 " "

44.95 a P. Oak 24 " "

67.76 a W. Oak 18 " "

78.00 enter Prairie

80.00 ditto part con. of sec. 29, 30, 31 & 32 in Prairie from

which a P. Oak 24 in. dia. bears S 89 W 22 M. ditto

a Do 30 " " " N 84 W 240 " "

Said level, timber Oak, W. S. S. 3<sup>d</sup> rate

East on Random between Sec. 29 & 32

32.00 enter timbered land

36.50 " Prairie

40.00 ditto temp. g. sec. part in Prairie

47.72 enter timbered land

63.00 " Prairie

79.75 Intersect N. S. line 12 M. N. of part -

Said in Prairie wet, Woodland 3<sup>d</sup> rate,  
 timber Oak

West Connected between Sec. 29 & 32

25.69 a W. Oak 20 in. dia.

32.00 a Do 30 " "

40.00 ditto g. sec. part at aver. dist. in Prairie from

which a P. Oak 15 in. dia. bears S 117 E 60 M. ditto

(no other Bearing tree)

79.75 to sec. con.

North between Sec. 29 & 30

## T. 20 N., R. 4 W. 2. Mer. Ind. a

Chr. Chr.

3.50 enter timbered land

22.56 a W. Oak 15 in. dia.

40.00 set of sec. post from which

a B. Oak 20 in. dia. bears S 54° W 20 lbs. dist. 8

a Do 24 " " " N 23° E 55 " "

45.59 a W. Oak 24 " "

76.20 a Do 18 " "

80.00 set post cor. of sec. 19, 20, 29 &amp; 30 from which

a Hickory 4 in. dia. bears N 83° E 65 lbs. dist. 8

a B. Oak 30 " " " N 75° W 40 " "

Land 3. rate, timber scattering Oak

## East on Random between Sec. 20 &amp; 29

40.00 set temp. of sec. post

62.00 enter Prairie

80.21 Intersect N. G. line 8 lbs. N. of post -

Land 3. rate, thinly timbered with Oak,  
Prairie wet

## West Connected between Sec. 20 &amp; 29

40.10 1/2 set of sec. post at aver. dist. from which

a W. Oak 24 in. dia. bears S 20° W 44 lbs. dist. 8

a Do 15 " " " N 66° E 39 " "

43.23 a Do 20 " "

66.21 a Do 14 " "

80.21 to sec. cor.

## North between Sec. 19 &amp; 20

31.73 a W. Oak 16 in. dia.

40.00 set of sec. post from which

a W. Oak 24 in. dia. bears S 66° E 58 lbs. dist. 8

a Do 18 " " " N 65° W 32 " "

55.10 a Hickory 12 " "

56.50 enter Prairie

80.00 set post cor. of sec. 17, 18, 19 &amp; 20 in Prairie from

which a W. Oak 24 in. dia. bears S 6 1/2° W 155 lbs. dist. 8

T. 20 N., R. 4 W. 2<sup>d</sup>. Mer. Ind. <sup>a</sup>  
 Chp. 2<sup>d</sup>.

a W. Oak 15 in. diameter N 15 E 205 lbs. dirt. 8  
 First 1/2 mile Prairie & patches of timber,  
 scrubby Oak - last 1/2 mile dry Prairie, 3<sup>d</sup> rate

East on Random between Sec. 17 & 20

37.00 enter timbered land

40.00 set temp. of sec. part

75.00 enter Prairie

80.10 Entered N. S. line 20 lbs. N. of part -

First 1/2 mile Prairie wet, last 1/2 mile timber &  
 Prairie in patches, timber thin Oak scrubby  
 3<sup>d</sup> rate

West Corrected between Sec. 17 & 20

40.05 set of sec. part at aver. dirt. from which

a B. Oak 20 in. diameter N 49 E 46 lbs. dirt. 8

a Lvs 18 " " " S 11 E 92 " "

80.10 to sec. cor.

North between Sec. 17 & 18

14.00 enter timbered land

15.09 a W. Oak 18 in. dia.

30.00 enter Prairie

35.00 " timbered land

40.00 set of sec. part from which

a W. Oak 30 in. diameter N 76 E 45 lbs. dirt. 8

a Lvs 20 " " " S 32 1/2 E 127 " "

55.48 a Lvs 24 " "

59.00 enter Prairie

80.00 set part cor. of sec. 7, 8, 17 & 18 in Prairie from

which a W. Oak 30 in. diameter S 42 1/2 E 215 lbs. dirt.

& a Lvs 24 " " " N 72 E 205 " "

Prairie wet, timber thin W. Oak, trees large  
 2<sup>d</sup> rate.

East on Random between Sec. 8 & 17



## T. 20 N., R. 4 W. 2. Mer. Ind. a

Chs. Chs.

0.00 enter timbered land  
 13.00 " Prairie  
 40.00 set temp. of sec. post  
 80.36 Intersect. N. & S. line 8 M. S. of post -  
 Prairie dry, some trees standing through it, 3. rate

---

West Connected between Sect. 8 & 17  
 November 2, 1820

40.18 set of sec. post at aver. dist. from which  
 a Hickory 5 in. dia. bears S 57 E 62 M. dist. 8  
 a Do 12, , , N 70 W 6 , ,  
 61.20 a B. Oak 18 , ,  
 80.36 to sec. cn.

---

North between Sect. 7 & 8

5.00 enter timbered land  
 23.00 " Prairie  
 40.00 set of sec. post in Prairie from which  
 a B. Oak 15 in. dia. bears N 45 E 13 M. dist. 8  
 (no other Bearing tree)  
 80.00 set post en. of sect. 5, 6, 7 & 8 from which no trees  
 raised a Mound in Prairie  
 Prairie dry & rolling, 1 Hazel patches, sapling  
 timber in groves

---

East on Raudem between Sect. 5 & 8

40.00 set temp. of sec. post in prairie  
 63.00 enter timbered land  
 80.10 Intersect. N. & S. line 12 M. N. of post -  
 Prairie dry & rolling, a number of large grey  
 rocks in this line, timber scattering W. Oak  
 3. rate

---

West Connected between Sect. 5 & 8

40.05 set of sec. post at aver. dist. in Prairie, no trees  
 near, raised a Mound

T. 20. N., R. 4. W. 2. Mer. Ind.<sup>a</sup>  
Chp. 2<sup>d</sup>.

80.10 to sec. cor.

North between Sec. 5 & 6

40.00 set g. sec. post in Prairie, no trees near, raised a Mound

78.13 Intersect N. Boundary 53<sup>1</sup>/<sub>2</sub> th. N of post -  
set post at intersection cor. of sec. 5 & 6 in Prairie,  
raised a Mound, no trees near.  
Prairie dry & rolling, some Ponds

West between Sec. 30 & 31

November 3. 1820

2.28 entered timbered land

40.00 set g. sec. post from which  
a W. Oak 15 in. diameter S 21 E 11 th. dist 8  
a Do 18 " " " N 78<sup>1</sup>/<sub>2</sub> W 39 " "

58.26 a Do 20 " "

72.08 a Do 24 " "

78.50 Intersect W. Boundary 31 th. N. of post -  
set post at intersection cor. of sec. 30 & 31 from which  
a B. Oak 20 in. diameter S 45 E 70 th. dist 8  
a W. Oak 24 " " " N 49 W 24 " "  
Land rolling, timber Oak 3<sup>d</sup> etc

West between Sec. 19 & 30

40.00 set g. sec. post from which  
a W. Oak 36 in. diameter N 68<sup>1</sup>/<sub>2</sub> W 21 th. dist 8  
a Do 15 " " " N 79<sup>1</sup>/<sub>2</sub> E 87 " "

45.55 entered Prairie, a W. Oak 18 in. dia.

62.37 " timbered land, a W. Oak 15 in. dia.

77.50 " Prairie

78.79 Intersect W. Boundary 35 th. N. of post -  
set post at intersection cor. of sec. 19 & 30 from which  
a W. Oak 24 in. diameter N 73<sup>1</sup>/<sub>2</sub> E 64 th. dist 8  
a Do 18 " " " N 89 E 70 " "  
Prairie & timbered land in patches of from

T. 20 N., R. 4 W. 2. Mer. Ind. a  
Ch. Lk.

50 lbs. to 3.00 lbs.

West between Sec. 18 & 19

3.50 enter timbered land

8.50 " Prairie

24.00 " timbered land

35.00 " Prairie

40.00 set of sec. post in Prairie from which  
a W. Oak 24 in. diameter N 25 E 109 lbs. dist.  
(no other Bearing tree)

46.50 enter timbered land

49.27 a W. Oak 20 in. dia.

55.00 enter Prairie

65.00 " timbered land

68.25 " Prairie

80.00 could not find stake but noted the distance  
to witness trees which are  
a Hickory 6 in. diameter N 80 W 191 lbs. dist. 8  
a W. Oak 20 " " " N 77 W 188 " " "  
Prairie wet, timbered land 3. rate, timber  
Oak & Hickory, the groves lie higher than Pr.

West between Sec. 7 & 18

3.00 enter timbered land

6.21 a W. Oak 15 in. dia.

15.00 enter Prairie

32.00 " timbered land

36.25 " Prairie

40.00 set of sec. post from which  
a Hickory 18 in. diameter N 88 W 379 lbs. dist.  
(no other Bearing tree)

64.00 enter timbered land

67.37 a Hickory 10 in. dia.

79.59 Intersect M. Boundary 81 lbs. N. of post -  
set post at intersection cu. of sec. 7 & 18 from which  
a Sapling 12 in. diameter S 41 E 38 lbs. dist. 8

T. 20 N., R. 4 W. 2. Mer. Ind.<sup>a</sup>  
 Chs. Ls.

a Hickory Windmill in NW 1/4 Sec. 11, dist.  
 Prairie wet, timber Oak, Hickory scrubby,  
 some Hazel, 3. rate

West between Sec. 6 & 7

40.00 set of sec. post in Prairie, no trees near,  
 raised a Mound

79.62 Intersection W. Boundary 59 lbs. N. of post -  
 set post at intersection cu. of sec. 6 & 7 in Prairie,  
 no trees near, raised a Mound  
 Land 3. rate - November 4. 1820

General description

Not one stick of timber in sec. 2, 3, 4, 5, 6

T. 20 N., R. 4 W. - The Prairie is generally  
 scarce of rail timber, and in many places  
 of fire wood; the rocks appear to be flint.

Surveyed by

B. J. Blythe

Dep. Surveyor.

I certify that the foregoing transcript  
 of field notes of the survey of Township N. 20  
 North in Range N. 4 West of the 2. Principal  
 Meridian, in the State of Indiana, has  
 been compared with the original on file in  
 this office, and found to be correct.  
 Surveyor General's Office,  
 Cincinnati Nov. 2. 1842

William Johnston  
 Sur. Genl.

Conceded